European Journal of Pharmacology – Molecular Pharmacology Section, 244 (1993) 319–321
© 1993 Elsevier Science Publishers B.V. All rights reserved 0922-4106/93/$06.00

Author index

Adolfo García-Sáinz, J., see Medina-Martínez, O. (244) 145
Agrotis, A., Little, P.J., Saltis, J. and Bobik, A.
Dihydropyridine Ca^{2+} channel antagonists inhibit the salvage pathway for DNA synthesis in human vascular smooth muscle cells (244) 269
Aizenman, E., see Reynolds, I.J. (244) 175
Angulo, J.A., Watanabe, Y., Cadet, J., Ledoux, M. and McEwen, B.S.
Upregulation of forebrain proenkephalin mRNA subsequent to NMDA receptor blockade (244) 317
Asahina, T., see Tanaka, Y. (244) 105
Attali, B., see Nah, S.-Y. (244) 67

Bachetti, T., see Spampinato, S. (244) 139
Baudry, M., see Marvizón, J.-C. (244) 103
Bendotti, C., see Parolaro, D. (244) 211
Bernier, S., see Poitras, M. (244) 203
Binet, P., see Scamps, F. (244) 119
Blankesteijn, W.M., Siero, H.L.M., Rodrigues de Miranda, J.F., Van Megen, Y.J.B. and Russel, F.G.M.
Characterization of muscarinic receptors in rat kidney (244) 21
Bobik, A., see Agrotis, A. (244) 269
Bockaert, J., see Didier, M. (244) 57
Boulay, G., see Poitras, M. (244) 203
Bowen, W.D., see Vilner, B.J. (244) 199
Brémont, B., see Langlois, M. (244) 77
Bylund, D.B., see Pleus, R.C. (244) 181

Cadet, J., see Angulo, J.A. (244) 317
Carboni, L., see Spampinato, S. (244) 139
Carter, D.A.
Differential intracellular mechanisms mediate the co-ordinate induction of c-*fos* and *jun*-B in the rat pineal gland (244) 285
Carvalho, A.P., see Duarte, C.B. (244) 259
Carvalho, C.A.M., see Duarte, C.B. (244) 259
Cheetham, M.E., see McLaughlin, D.P. (244) 89
Childers, S.R., see Davies, H.M.L. (244) 93
Consolo, S., see Garcia Ruiz, A.J. (244) 125
Costa, E., see Dučić, I. (244) 29
Currie, M.G., see Kato, J. (244) 153

Davies, H.M.L., Saikali, E., Sexton, T. and Childers, S.R.
Novel 2-substituted cocaine analogs: binding properties at dopamine transport sites in rat striatum (244) 93
Didier, M., Héaulme, M., Gonalons, N., Soubrié, P., Bockaert, J. and Pin, J.-P.
35 mM K^+-stimulated $^{45}Ca^{2+}$ uptake in cerebellar granule cell cultures mainly results from NMDA receptor activation (244) 57
Drummer, C., see Ivanova, K. (244) 37
Duarte, C.B., Tome, A.R., Forsberg, E., Carvalho, C.A.M., Carvalho, A.P., Santos, R.M. and Rosario, L.M.
Neomycin blocks dihydropyridine-insensitive Ca^{2+} influx in bovine adrenal chromaffin cells (244) 259
Dučić, I., Puia, G., Vicini, S. and Costa, E.
Triazolam is more efficacious than diazepam in a broad spectrum of recombinant $GABA_A$ receptors (244) 29

Eaton, S.A., Jane, D.E., Jones, P.L.S.J., Porter, R.H.P., Pook, P.C.-K., Sunter, D.C., Udvarhelyi, P.M., Roberts, P.J., Salt, T.E. and Watkins, J.C.
Competitive antagonism at metabotropic glutamate receptors by (S)-4-carboxyphenylglycine and (RS)-α-methyl-4-carboxyphenylglycine (244) 195
Eglen, R.M., Sharif, N.A. and To, Z.P.
Muscarinic M_3 receptors mediate total inositol phosphates accumulation in murine HSDM1C1 fibrosarcoma cells (244) 49
Epand, R.M., see Nie, S.-Q. (244) 15

Ferré, S., Snaprud, P. and Fuxe, K.
Opposing actions of an adenosine A_2 receptor agonist and a GTP analogue on the regulation of dopamine D_2 receptors in rat neostriatal membranes (244) 311
Ferri, S., see Spampinato, S. (244) 139
Forsberg, E., see Duarte, C.B. (244) 259
Fournier, A., see Poitras, M. (244) 203
Fozard, J.R., see Schoeffter, P. (244) 251
Fredholm, B.B., see Ljunggren, Ö. (244) 111
Frey, E.A., Nicholson, D.W. and Metters, K.M.
Characterization of the leukotriene D_4 receptor in dimethylsulphoxide-differentiated U937 cells: comparison with the leukotriene D_4 receptor in human lung and guinea-pig lung (244) 239
Fuxe, K., see Ferré, S. (244) 311

Garcia Ruiz, A.J., Zambelli, M., La Porta, C., Ladinsky, H. and Consolo, S.
Differences between rat dorsal and ventral hippocampus in muscarinic receptor agonist binding and interaction with phospholipase C (244) 125
Gaudy, F., see Langlois, M. (244) 77
Gerzer, R., see Ivanova, K. (244) 37
Gonalons, N., see Didier, M. (244) 57
Gori, E., see Parolaro, D. (244) 211
Guillemette, G., see Poitras, M. (244) 203

Haldeman, B., see Thomsen, C. (244) 187
Hartnett, K.A., see Reynolds, I.J. (244) 175
Héaulme, M., see Didier, M. (244) 57
Hill, D.R., Suman-Chauhan, N. and Woodruff, G.N.
Localization of [^{3}H]gabapentin to a novel site in rat brain: autoradiographic studies (244) 303
Hill, D.R., see Suman-Chauhan, N. (244) 293
Hirano, K., Hirano, M. and Kanaide, H.
Enhancement by captopril of bradykinin-induced calcium transients in cultured endothelial cells of the bovine aorta (244) 133
Hirano, M., see Hirano, K. (244) 133
Hoy, K., see Marley, P.D. (244) 7
Hoyer, D., see Schoeffter, P. (244) 251

Ivanova, K., Schaefer, M., Drummer, C. and Gerzer, R.
Effects of nitric oxide-containing compounds on increases in cytosolic ionized Ca^{2+} and on aggregation of human platelets (244) 37

Jane, D.E., see Eaton, S.A. (244) 195
Jones, P.L.S.J., see Eaton, S.A. (244) 195

Kanaide, H., see Hirano, K. (244) 133
Kashiwagi, A., see Tanaka, Y. (244) 105
Kato, J., Misko, T.P. and Currie, M.G.
Induction of nitric oxide synthase regulates atrial natriuretic peptide receptors in vascular smooth muscle cells (244) 153
Keil, R., see Matias, A. (244) 223
Kerwin, R.W., see McLaughlin, D.P. (244) 89
Kikkawa, R., see Tanaka, Y. (244) 105
Kristensen, P., see Thomsen, C. (244) 187
Kwan, C.-Y., see Nie, S.-Q. (244) 15

Ladinsky, H., see Garcia Ruiz, A.J. (244) 125
Langlois, M., Brémont, B., Rousselle, D. and Gaudy, F.
Structural analysis by the comparative molecular field analysis method of the affinity of β-adrenoreceptor blocking agents for 5-HT_{1A} and 5-HT_{1B} receptors (244) 77
La Porta, C., see Garcia Ruiz, A.J. (244) 125
Ledoux, M., see Angulo, J.A. (244) 317
Lerner, U.H., see Ljunggren, Ö. (244) 111
Little, P.J., see Agrotis, A. (244) 269
Ljunggren, Ö., Fredholm, B.B., Nordstedt, C., Ljunghall, S. and Lerner, U.H.
Role of protein kinase C in bradykinin-induced prostaglandin formation in osteoblasts (244) 111
Ljunghall, S., see Ljunggren, Ö. (244) 111
Lodge, D., see Palmer, A.J. (244) 193
Lorenzen, A., see Matias, A. (244) 223

Maccarone, P., see Marley, P.D. (244) 7
Marcozzi, C., see Parolaro, D. (244) 211
Marley, P.D., Thomson, K.A., Hoy, K. and Maccarone, P.
Regulation of cyclic AMP levels by phorbol esters in bovine adrenal medullary cells (244) 7
Marvizón, J.-C. and Baudry, M.
NMDA receptor activation by spermine requires glutamate but not glycine (244) 103
Massi, P., see Parolaro, D. (244) 211
Matias, A., Zimmer, F.J., Lorenzen, A., Keil, R. and Schwabe, U.
Affinity of central adenosine A_1 receptors is decreased in spontaneously hypertensive rats (244) 223
McEwen, B.S., see Angulo, J.A. (244) 317
McLaughlin, D.P., Cheetham, M.E. and Kerwin, R.W.
Expression of alternatively-spliced glutamate receptors in human hippocampus (244) 89
Medina-Martínez, O. and Adolfo García-Sáinz, J.
Hepatocyte homologous β_2-adrenergic desensitization is associated with a decrease in number of plasma membrane β_2-adrenoceptors (244) 145
Metters, K.M., see Frey, E.A. (244) 239
Metters, K.M., see Slipetz, D.M. (244) 161
Miocque, M., see Scamps, F. (244) 119
Misko, T.P., see Kato, J. (244) 153
Mosberg, H.I., see Raffa, R.B. (244) 231
Mulvihill, E., see Thomsen, C. (244) 187
Murthy, J.N., see Pranzatelli, M.R. (244) 1

Nah, S.-Y., Attali, B. and Vogel, Z.
Heterologous desensitization and reduced G protein ADP-ribosylation following exposure to α_2-adrenoceptor and muscarinic receptor agonists (244) 67
Nicholson, D.W., see Frey, E.A. (244) 239
Nicholson, D.W., see Slipetz, D.M. (244) 161
Nie, S.-Q., Kwan, C.-Y. and Epand, R.M.
Pyrazine derivatives affect membrane fluidity of vascular smooth muscle microsomes in relation to their biological activity (244) 15
Nordstedt, C., see Ljunggren, Ö. (244) 111

Okamoto, K., see Sakuta, H. (244) 277
Ormandy, G.C.
Increased cyclic AMP reduces 5-HT_{1D} receptor-mediated inhibition of [^{3}H]5-hydroxytryptamine release from guinea-pig cortical slices (244) 189

Palmer, A.J. and Lodge, D.
Cyclothiazide reverses AMPA receptor antagonism of the 2,3-benzodiazepine, GYKI 53655 (244) 193
Parenti, M., see Parolaro, D. (244) 211
Parolaro, D., Rubino, T., Gori, E., Massi, P., Bendotti, C., Patrini, G., Marcozzi, C. and Parenti, M.
In situ hybridization reveals specific increases in $G\alpha_s$ and $G\alpha_o$ mRNA in discrete brain regions of morphine-tolerant rats (244) 211
Patrini, G., see Parolaro, D. (244) 211
Pin, J.-P., see Didier, M. (244) 57
Pleus, R.C., Shreve, P.E., Toews, M.L. and Bylund, D.B.
Down-regulation of α_2-adrenoceptor subtypes (244) 181
Poitras, M., Bernier, S., Boulay, G., Fournier, A. and Guillemette, G.
Interaction of benzene 1,2,4-trisphosphate with inositol 1,4,5-trisphosphate receptor and metabolizing enzymes (244) 203
Pook, P.C.-K., see Eaton, S.A. (244) 195
Porreca, F., see Raffa, R.B. (244) 231
Porter, R.H.P., see Eaton, S.A. (244) 195
Pranzatelli, M.R., Murthy, J.N. and Tailor, P.T.
Novel regulation of 5-HT_{1C} receptors: down-regulation induced both by 5-$HT_{1C/2}$ receptor agonists and antagonists (244) 1
Puia, G., see Dučić, I. (244) 29

Raffa, R.B., Wild, K.D., Mosberg, H.I. and Porreca, F.
Thermodynamic parameters for [D-Pen^{2,5}]enkephalin at δ-opioid receptors in the mouse isolated vas deferens (244) 231
Ratti, E., see Spampinato, S. (244) 139
Reynolds, I.J., Zeleski, D.M., Rothermund, K.D., Hartnett, K.A., Tidwell, R. and Aizenman, E.
Studies on the effects of several pentamidine analogues on the NMDA receptor (244) 175
Richelson, E., see Yamada, M. (244) 99
Rinjard, P., see Scamps, F. (244) 119
Roberts, P.J., see Eaton, S.A. (244) 195
Rodrigues de Miranda, J.F., see Blankesteijn, W.M. (244) 21
Rosario, L.M., see Duarte, C.B. (244) 259
Rothermund, K.D., see Reynolds, I.J. (244) 175
Rousselle, D., see Langlois, M. (244) 77
Rubino, T., see Parolaro, D. (244) 211
Russel, F.G.M., see Blankesteijn, W.M. (244) 21

Saeki, Y., see Tanaka, Y. (244) 105
Saikali, E., see Davies, H.M.L. (244) 93
Sakuta, H. and Okamoto, K.
Activation by KRN2391 and nicorandil of glibenclamide-sensitive K^+ channels in *Xenopus* oocytes (244) 277
Salt, T.E., see Eaton, S.A. (244) 195
Saltis, J., see Agrotis, A. (244) 269
Santos, R.M., see Duarte, C.B. (244) 259
Scamps, F., Tran, G., Rinjard, P., Binet, P., Miocque, M. and Vassort, G.
Effect of an antihypertensive hydrazine derivative on Ca^{2+} current of single frog cardiac cells (244) 119
Schaefer, M., see Ivanova, K. (244) 37

Schoeffter, P., Fozard, J.R., Stoll, A., Siegl, H., Seiler, M.P. and Hoyer, D.
SDZ 216-525, a selective and potent 5-HT_{1A} receptor antagonist (244) 251
Schwabe, U., see Matias, A. (244) 223
Scoggan, K.A., see Slipetz, D.M. (244) 161
Seiler, M.P., see Schoeffter, P. (244) 251
Sexton, T., see Davies, H.M.L. (244) 93
Sharif, N.A., see Eglen, R.M. (244) 49
Shigeta, Y., see Tanaka, Y. (244) 105
Shreve, P.E., see Pleus, R.C. (244) 181
Siegl, H., see Schoeffter, P. (244) 251
Siero, H.L.M., see Blankesteijn, W.M. (244) 21
Slipetz, D.M., Scoggan, K.A., Nicholson, D.W. and Metters, K.M.
Photoaffinity labelling and radiation inactivation of the leukotriene B_4 receptor in human myeloid cells (244) 161
Snaprud, P., see Ferré, S. (244) 311
Soubrié, P., see Didier, M. (244) 57
Spampinato, S., Bachetti, T., Carboni, L., Ratti, E., Van Amsterdam, F.T.M. and Ferri, S.
Ca^{2+} channel blocking activity of lacidipine and amlodipine in A_7r_5 vascular smooth muscle cells (244) 139
Stoll, A., see Schoeffter, P. (244) 251
Suman-Chauhan, N., Webdale, L., Hill, D.R. and Woodruff, G.N.
Characterisation of [^{3}H]gabapentin binding to a novel site in rat brain: homogenate binding studies (244) 293
Suman-Chauhan, N., see Hill, D.R. (244) 303
Sunter, D.C., see Eaton, S.A. (244) 195
Suzdak, P.D., see Thomsen, C. (244) 187

Tailor, P.T., see Pranzatelli, M.R. (244) 1
Takagi, Y., see Tanaka, Y. (244) 105
Tanaka, Y., Kashiwagi, A., Saeki, Y., Takagi, Y., Asahina, T., Kikkawa, R. and Shigeta, Y.
Effects of verapamil on the cardiac α_1-adrenoceptor signalling system in diabetic rats (244) 105
Thomsen, C., Kristensen, P., Mulvihill, E., Haldeman, B. and Suzdak, P.D.
L-2-Amino-4-phosphonobutyrate (L-AP4) is an agonist at the type IV metabotropic glutamate receptor which is negatively coupled to adenylate cyclase. European Journal of Pharmacology – Molecular Pharmacology Section, 227 (1992) 361–362 (244) 187
Thomson, K.A., see Marley, P.D. (244) 7
Tidwell, R., see Reynolds, I.J. (244) 175
To, Z.P., see Eglen, R.M. (244) 49
Toews, M.L., see Pleus, R.C. (244) 181
Tome, A.R., see Duarte, C.B. (244) 259
Tran, G., see Scamps, F. (244) 119

Udvarhelyi, P.M., see Eaton, S.A. (244) 195

Van Amsterdam, F.T.M., see Spampinato, S. (244) 139
Van Megen, Y.J.B., see Blankesteijn, W.M. (244) 21
Vassort, G., see Scamps, F. (244) 119
Vicini, S., see Dučić, I. (244) 29
Vilner, B.J. and Bowen, W.D.
σ Receptor-active neuroleptics are cytotoxic to C6 glioma cells in culture (244) 199
Vogel, Z., see Nah, S.-Y. (244) 67

Watanabe, Y., see Angulo, J.A. (244) 317
Watkins, J.C., see Eaton, S.A. (244) 195
Watson, M.A., see Yamada, M. (244) 99
Webdale, L., see Suman-Chauhan, N. (244) 293
Wild, K.D., see Raffa, R.B. (244) 231
Woodruff, G.N., see Hill, D.R. (244) 303
Woodruff, G.N., see Suman-Chauhan, N. (244) 293

Yamada, M., Yamada, M., Watson, M.A. and Richelson, E.
Neurotensin stimulates cyclic AMP formation in CHO-rNTR-10 cells expressing the cloned rat neurotensin receptor (244) 99
Yamada, M., see Yamada, M. (244) 99

Zambelli, M., see Garcia Ruiz, A.J. (244) 125
Zeleski, D.M., see Reynolds, I.J. (244) 175
Zimmer, F.J., see Matias, A. (244) 223